



What happens next?

The dentist may want to check out your mouth after treatment to check that everything has cleared up. If this is not the case, they may recommend further treatment. In some cases you may need to treat the mouth for a long time.



It is important to have new dentures made every few years.

Even if you do not have any teeth left it is important for you to go for regular check-ups to your dentist to ensure that your mouth remains healthy.

Copyright: Dr Joanna M.Zakrzewska 1999



British
Dental Health
Foundation

The British Dental Health Foundation is an independent, UK-based charity dedicated to promoting the benefits of good oral health to the public throughout the world.

The Foundation promotes three key messages:

- brush your teeth for two minutes twice a day with a fluoride toothpaste.
- cut down on how often you have sugary foods and drinks.
- visit your dentist regularly, as often as they recommend.

Look for our 'Approved' symbol on oral health products. You can trust these products to live up to the claims on their packaging.



The Dental Helpline is the Foundation's own confidential advice service. Qualified dental professionals are available to answer your questions personally from 9am to 5pm, Monday to Friday. Or you can send us a question by email from our website at any time.



Dental
Helpline
0845 063 1188
www.dentalhealth.org

The Foundation £9 for every enquiry we answer. If you would like to make a donation, please send a cheque to the address below, or phone 01788 539793 to donate by credit or debit card.

**plain English
approved**
by the word centre

British Dental Health Foundation,
Smile House, 2 East Union Street, Rugby CV22 6AJ, UK.


© British Dental Health Foundation

Printed 11/11



Tell me about

Denture Stomatitis (Thrush)






Q What is denture stomatitis (Thrush)?

A It is a yeast/fungus called candida or thrush, which causes an infection in the mouth. It is not a type of infection that can be passed on to others as everybody has some thrush in their mouths, even babies. It is possible to get thrush elsewhere.

Q Who can get denture stomatitis?

A Denture wearers are the most common group to be affected along with people who have difficulties keeping their mouths clean. Diabetics and anyone who takes steroids either through inhalers or by mouth may also have problems. Some antibiotics are responsible for causing thrush and many people find that taking certain antibiotics encourages a recurrence of infection, especially if taken over a long period of time.




Denture Stomatitis: partial denture in position

Q How can the dentist recognise it?

A When the denture is taken out, your dentist may be able to see a very red area under the denture. There may also be red sore areas at the corner of the lips.

Q Why does it need treating?

A If untreated, the condition can cause soreness in the mouth and may lead to poorly fitting dentures in the future.



Denture Stomatitis: visible with denture removed



Allergy to denture

Q How is it treated?

Good Oral Hygiene

A It is important to keep your mouth as clean as possible and rinse after meals. Smoking promotes growth of further yeast infections, as does keeping dentures in the mouth for 24 hours at a time. It is important to let the mouth rest too!

Denture Hygiene

A Dentures should be kept out as much as possible but definitely overnight. Some yeast infections will resolve completely if the dentures are not worn at night for two weeks. The dentures should be cleaned in warm soapy water and scrubbed with a soft nailbrush on the fitting surface, that is the non-polished side. The dentures can be soaked in any solution used to sterilize baby's bottles e.g. Milton's. If your denture has metal components, do not use anything with bleach but use chlorhexidine. Do not use the latter solution everyday as it will stain your denture. Use it once a week. There are many denture cleaners available but they tend to be more expensive than the ones mentioned.

Medication

A If careful cleaning and hygiene has not helped you will be given some treatment. There are many treatments available, most of them involving sucking tablets/lozenges slowly in your mouth, but there is no evidence to show whether any one is better than another. Treatment may need to be continued for one month.